	Application No.	Applicant(s)
Notice of Allowability	10/519,610	WEINHOLT ET AL.
	Examiner	Art Unit
	Min Jung	2416
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIPORT of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to Amendment filed Novel 2. The allowed claim(s) is/are 1, 2, 9, 3-8, 10-12, 15, 17 (renulation) and a claim for foreign priority under the province of the provi	(OR REMAINS) CLOSED in or other appropriate communication is second and MPEP 1308. Second MPEP 1308 and a teleproperate as 1-14, respective.	this application. If not included inication will be mailed in due course. THIS ubject to withdrawal from issue at the initiative thone Interview on December 17, 2008.
a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 D Notice of In	formal Patent Application
Notice of Preferences Offed (110-032) Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./	Mail Date Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's	Statement of Reasons for Allowance
oi biological Material	9.	

Application/Control Number: 10/519,610 Page 2

Art Unit: 2416

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sidney Weatherford on December 17, 2008.

The application has been amended as follows:

IN THE CLAIMS:

In claim 1, line 13, "the error signal" has been changed to ----the error control signal----.

In claim 1, line 14, "detected signal" has been changed to ----detected error control signal----.

In claim 1, line 15, "detector" has been changed to ----decision----.

In claim 5, line 2, "B" has been deleted.

2. The following is an examiner's statement of reasons for allowance: All the claims are allowable over the prior art because prior art fail to teach or fairly suggest a receiving method as recited in the present claims particularly with the features of applying a weighting function in the receiver to an error control signal for symbols coded according to the first keying mode, wherein the error control signal is reduced when the detected error control signal approaches decision boundaries of the first keying mode, and subduing responses outside the decision boundaries of the given detected symbol

of the first keying mode, wherein no weighting function is applied to symbols associated with the second keying mode.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Min Jung whose telephone number is 571-272-3127. The examiner can normally be reached on Monday through Friday 9:00 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on 571-272-7872. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/519,610

Page 4

Art Unit: 2416

/Min Jung/ Primary Examiner, Art Unit 2416